



5kw 48V 100Ah 200Ah All In One Lithium Battery Pack For Residential Industries

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: XWELL
- Certification: UN38.3, MSDS, UL, CB, BIS, PSE, GB4943.1 safety standard, CE, FCC, ROHS, battery UN38.3, MSDS, UL, CB, BIS, PSE
- Model Number: XW-3200W
- Minimum Order Quantity: 1 pcs
- Packaging Details: Carton
- Delivery Time: 7-10 working days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 pcs per month



Product Specification

- Standard Voltage: 51.2V
- Capacity: 100Ah 200Ah
- Energy: 5kwh 10kwh
- Battery Type: LiFePO4 Cell
- Life Time: 6000 Cycles
- Max Charge Current: 50A
- Max Discharge Current: 100A
- Inverter Rated Power: 3.2kw
- Peak Power: 5kw
- Highlight: **5kw Lithium Battery Pack,
100Ah Lithium Battery Pack,
200Ah Lithium Battery Pack**

for more products please visit us on esslithiumbattery.com

Product Description

5kw 48V 100Ah 200Ah All In One Lithium Battery Pack For Residential Industries


Product description

The 5kW 48V 100Ah/200Ah All-in-One Lithium Battery Pack is specifically designed for residential industries, providing efficient and reliable energy storage capabilities. This battery pack offers a convenient and compact solution for storing and utilizing energy in various residential applications.

All in One Energy Storage System Specification

Battery Parameters		
Model	51.2V100Ah	51.2V200Ah
Nominal voltage	51.2V	
Nominal capacity (kwh)	5KWh	10KWh
Cell type	LiFePO4	
Cycle life	>6000 Cycles(80%DOD)	
Charge temperature range	0~65°C	
Discharge temperature range	-20~65°C	
Maximum continuous charge current	50A	
Maximum continuous discharge current	100A	
Color	Black /White	
Dimension (mm)	710x300x600	710x300x800
Weight	81Kg	110Kg
Installation method	Floor type with wheels	
Inverter Parameters		
Rated power	3.2KW	
Peak power	5KW	
Output wave form	Pure sine wave	
Input/Output AC voltage	AC 110V/220V	
Input/Output AC voltage frequency	50Hz/60Hz	

All in One Energy Storage System Connection Diagram



FAQ

- Q: Are you a manufacturer?
A: Yes, we have been offering specialized products in this field for 20 years.
- Q: How do you pack these products?
A: Usually packed according to export standard or your requirement.
- Q: Is it customizable?
A: Yes, according to your requirements.
- Q: After-sales service
A: 24-hour technical support by phone, email or skype
- Q: What is your lead time?
A: Spot goods usually take 3-5 days, and customization takes 5-7 days

Our services

1. Your inquiry related to our products price will be replied in 24 hours.
2. Experienced staffs to answer all your enquiries in fluent English
3. We make the OEM and ODM service for more than 5 years
4. Protection of your sales area, ideas of design and all your private information.
5. No matter big order or small order, we will provide all the best quality, best service.
6. If our products have any problem that we caused, they will be sent free in the next order.



XWELL GUANGDONG XWELL TECHNOLOGY CO., LTD.

+86 18620492985

sales@esslithiumbattery.com

esslithiumbattery.com

Room 322, Building 3, No. 801, Qiaoxing Avenue, Xiaoluo Village, Shatou Street, Panyu District, Guangzhou, China